

## Medical Coverage Policy | Semi-Implantable and Fully-Implantable Middle Ear Hearing Aids



**EFFECTIVE DATE:** 10|01|2015

**POLICY LAST UPDATED:** 05|05|2023

### OVERVIEW

Moderate-to-severe sensorineural hearing loss is often treated with external acoustic hearing aids, while conductive hearing loss can be treated with acoustic or bone-conduction hearing aids when surgical or medical interventions do not correct hearing loss. Semi-implantable and fully implantable middle ear hearing aids detect sound and transduce signals directly to the ossicles in the middle ear and have been used as an alternative to external acoustic hearing aids.

### MEDICAL CRITERIA

Not applicable

### PRIOR AUTHORIZATION

Not applicable

### POLICY STATEMENT

#### Medicare Advantage Plans

Semi-implantable and fully implantable middle ear hearing aids are not covered as the evidence is insufficient to determine the effects of the technology on health outcomes.

Re-insertion of the device after removal is not covered.

#### Commercial Products

Semi-implantable and fully implantable middle ear hearing aids are considered not medically necessary as the evidence is insufficient to determine the effects of the technology on health outcomes.

Re-insertion of the device after removal is considered not medically necessary.

### COVERAGE

Benefits may vary between groups/contracts. Please refer to the appropriate Benefit Booklet, Evidence of Coverage, or Subscriber Agreement for limitations of benefits/coverage when services are not covered/not medically necessary.

### BACKGROUND

#### HEARING LOSS

Hearing loss is described as conductive, sensorineural, or mixed, and can be unilateral or bilateral. Normal hearing is the detection of sound at or below 20 decibels (dB). The American Speech Language-Hearing Association has defined the degree of hearing loss based on pure-tone average (PTA) detection thresholds as mild (20-40 dB), moderate (40-60 dB), severe (60-80 dB), and profound ( $\geq 80$  dB).

#### Treatment

Sound amplification through the use of an air-conduction hearing aid can provide benefit to patients with sensorineural, conductive, or mixed hearing loss. Contralateral routing of signal is a system in which a microphone on the affected side transmits a signal to an air-conduction hearing aid on the normal or less affected side.

Patients with moderate to severe sensorineural hearing loss are typically fitted with external acoustic hearing aids. Conductive hearing loss may be treated with acoustic or bone conduction hearing aids when surgical or medical interventions are unable to correct hearing loss. However, these hearing aids may not be acceptable to patients, either due to issues related to anatomic fit, sound quality, or personal preference. In some cases, external acoustic hearing aids cannot be used due to external ear pathologies (eg, otitis externa). Semi-implantable and fully implantable middle ear hearing aids have been developed as an alternative to external acoustic hearing aids.

### ***Semi- and Fully Implantable Middle Ear Hearing Aids***

Two semi-implantable devices have Food and Drug Administration (FDA) approval: the Vibrant Soundbridge (MED-EL Corp.) and the Maxum System (Ototronix). The devices consist of 3 components: a magnetic component that is implanted onto the ossicles of the middle ear, a receiver, and a sound processor. The Soundbridge device is implanted subcutaneously behind the ear while the processor is worn externally on the scalp over the receiver unit and held in place by a magnet. The Maxum System device is placed in the user's ear canal while the processor rests over the external ear. In general, the sound processor receives and amplifies the sound vibrations and transforms the sound pressure into electrical signals that are received by the receiver unit. The receiver unit then transduces these electrical signals into electromagnetic energy and creates an alternating electromagnetic field with the magnetic component (floating mass transducer) implanted on the ossicles of the middle ear. This electromagnetic field results in attractive and repulsive forces on the magnetic implant, causing vibration of the bones of the middle ear similar to normal hearing.

One fully implantable middle ear hearing aid has FDA approval: the Esteem Implantable Hearing System (Envoy Medical). Similar to the semi-implantable devices, the fully implantable device consists of a sensor, a sound processor, and a driver connected to the ossicles. The sensor detects vibrations of the tympanic membrane and transforms the vibrations into electrical signals that are processed by the sound processor. The processor transduces these signals via piezoelectric transduction, as opposed to the electromagnetic transduction used in the semi-implantable devices. A piezoelectric transducer (the sensor) is placed at the head of the incus and converts mechanical vibrations detected from the tympanic membrane into electrical signals that are delivered to the stapes by another piezoelectric transducer (the driver).

Two semi-implantable devices were approved by the FDA through the premarket approval process: the Vibrant® Soundbridge™ (MED-EL Corp.) in 2000 and the Direct System™ (Soundtec) in 2001. The Soundtec system was discontinued by the manufacturer Ototronix in 2004 due to performance issues; it was re-released in 2009 under the name Maxum™ System. Approved FDA labeling for both states that the devices are "...intended for use in adults, 18 years of age or older, who have a moderate to severe sensorineural hearing loss and desire an alternative to an acoustic hearing aid."

In 2010, the Esteem® Implantable Hearing System (Envoy Medical, St. Paul, MN), a fully implantable middle ear hearing aid, was approved by FDA through the premarket approval process. FDA-approved labeling for the Esteem® hearing implant indicates it is "intended to alleviate hearing loss ... in adults 18 years of age or older with stable bilateral sensorineural hearing loss."

Another fully implantable middle ear hearing aid, the Carina® Fully Implantable Hearing Device, is in development (Otologics, now Cochlear), but does not have FDA approval. Phase 1 and 2 trials have been conducted in the United States under investigational device exemptions.

For individuals who have hearing loss who receive semi-implantable or fully implantable middle ear hearing aids, the evidence includes the single-arm interventional studies submitted to the Food and Drug Administration, systematic reviews, and a number of observational series. The relevant outcomes include symptoms, functional outcomes, quality of life, and treatment-related morbidity. The data have suggested implantable middle ear hearing aids may provide some improvement in hearing compared with conventional

external acoustic hearing aids in patients with sensorineural hearing loss. However, given the safety and effectiveness of external acoustic hearing aids and the increased risks inherent in a surgical procedure, the semi- and fully implantable device must be associated with clinically significant improvement in various hearing parameters compared with external hearing aids. While safety concerns appear to be minimal, only a limited number of patients have been included in the clinical trials, and with a median duration of follow-up less than five years. Studies of patients with conductive or mixed hearing loss and aural atresia, when external acoustic hearing aids are not an option, have also demonstrated a hearing benefit with semi-implantable middle ear hearing aids. However, these studies are few and limited to small numbers of patients. Therefore, conclusions on the safety and effectiveness of semi-implantable hearing aids are limited. Comparisons of semi-implantable devices with alternative hearing devices such as implantable bone-conduction and bone-anchored hearing aids would also be useful to determine device appropriateness for patients who are unable to use external air-conduction hearing aids. The evidence is insufficient to determine the effects of the technology on health outcomes.

### **CODING**

The following codes are not covered for Medicare Advantage Plans and not medically necessary for Commercial Products.

**S2230** Implantation of magnetic component of semi-implantable hearing device on ossicles in middle ear

**V5095** Semi-implantable middle ear hearing prosthesis

### **RELATED POLICIES**

Cochlear Implants

Hearing Aid Mandate

Implantable Bone-Conduction and Bone Anchored Hearing Aids

### **PUBLISHED**

Provider Update, July 2023

Provider Update, October 2022

Provider Update, May 2021

Provider Update, February 2021

Provider Update, December 2019

### **REFERENCES**

1. Uhler K, Anderson MC, Jenkins HA. Long-Term Outcome Data in Patients following One Year's Use of a Fully Implantable Active Middle Ear Implant. *Audiol Neurootol*. 2016; 21(2): 105-12. PMID 27031589
2. Food and Drug Administration. Summary of Safety and Effectiveness Data (SSED): Esteem Implantable Hearing System.2010; [https://www.accessdata.fda.gov/cdrh\\_docs/pdf9/P090018b.pdf](https://www.accessdata.fda.gov/cdrh_docs/pdf9/P090018b.pdf). Accessed December 16, 2022.
3. Luetje CM, Brackman D, Balkany TJ, et al. Phase III clinical trial results with the Vibrant Soundbridge implantable middle ear hearing device: a prospective controlled multicenter study. *Otolaryngol Head Neck Surg*. Feb 2002; 126(2): 97-107. PMID 11870337
4. Sterkers O, Boucarra D, Labassi S, et al. A middle ear implant, the Symphonix Vibrant Soundbridge: retrospective study of the first 125 patients implanted in France. *Otol Neurotol*. May 2003; 24(3): 427-36. PMID 12806295
5. Bruchhage KL, Leichtle A, Schonweiler R, et al. Systematic review to evaluate the safety, efficacy and economical outcomes of the Vibrant Soundbridge for the treatment of sensorineural hearing loss. *Eur Arch Otorhinolaryngol*. Apr 2017; 274(4): 1797-1806. PMID 27796557
6. Ernst A, Todt I, Wagner J. Safety and effectiveness of the Vibrant Soundbridge in treating conductive and mixed hearing loss: A systematic review. *Laryngoscope*. Jun 2016; 126(6): 1451-7. PMID 26468033
7. Kahue CN, Carlson ML, Daugherty JA, et al. Middle ear implants for rehabilitation of sensorineural hearing loss: a systematic review of FDA approved devices. *Otol Neurotol*. Aug 2014; 35(7): 1228-37. PMID 24643033

8. Butler CL, Thavaneswaran P, Lee IH. Efficacy of the active middle-ear implant in patients with sensorineural hearing loss. *J Laryngol Otol.* Jul 2013; 127 Suppl 2: S8-16. PMID 23790515
9. Rahne T, Skarzynski PH, Hagen R, et al. A retrospective European multicenter analysis of the functional outcomes after active middle ear implant surgery using the third generation vibroplasty couplers. *Eur Arch Otorhinolaryngol.* Jan 2021; 278(1): 67-75. PMID 32451668
10. Seebacher J, Weichbold V, Schorg P, et al. Subjective Hearing Impression and Quality of Life in Patients With Bilateral Active Middle Ear Implants. *Otol Neurotol.* Jul 2020; 41(6): e641-e647. PMID 32569243
11. Zwartenkot JW, Hashemi J, Cremers CW, et al. Active middle ear implantation for patients with sensorineural hearing loss and external otitis: long-term outcome in patient satisfaction. *Otol Neurotol.* Jul 2013; 34(5): 855-61. PMID 23739560
12. Hough JV, Matthews P, Wood MW, et al. Middle ear electromagnetic semi-implantable hearing device: results of the phase II SOUNDTEC direct system clinical trial. *Otol Neurotol.* Nov 2002; 23(6): 895-903. PMID 12438853
13. Silverstein H, Atkins J, Thompson JH, et al. Experience with the SOUNDTEC implantable hearing aid. *Otol Neurotol.* Mar 2005; 26(2): 211-7. PMID 15793407
14. Frenzel H, Sprinzl G, Streitberger C, et al. The Vibrant Soundbridge in Children and Adolescents: Preliminary European Multicenter Results. *Otol Neurotol.* Aug 2015; 36(7): 1216-22. PMID 26107139
15. Marino R, Linton N, Eikelboom RH, et al. A comparative study of hearing aids and round window application of the vibrant sound bridge (VSB) for patients with mixed or conductive hearing loss. *Int J Audiol.* Apr 2013; 52(4): 209-18. PMID 23527900
16. Colletti L, Mandala M, Colletti V. Long-term outcome of round window Vibrant SoundBridge implantation in extensive ossicular chain defects. *Otolaryngol Head Neck Surg.* Jul 2013; 149(1): 134-41. PMID 23585147
17. Vyskocil E, Riss D, Honeder C, et al. Vibroplasty in mixed and conductive hearing loss: comparison of different coupling methods. *Laryngoscope.* Jun 2014; 124(6): 1436-43. PMID 24338550
18. Atas A, Tutar H, Gunduz B, et al. Vibrant SoundBridge application to middle ear windows versus conventional hearing aids: a comparative study based on international outcome inventory for hearing aids. *Eur Arch Otorhinolaryngol.* Jan 2014; 271(1): 35-40. PMID 23400404
19. Skarzynski H, Olszewski L, Skarzynski PH, et al. Direct round window stimulation with the Med-El Vibrant Soundbridge: 5 years of experience using a technique without interposed fascia. *Eur Arch Otorhinolaryngol.* Mar 2014; 271(3): 477-82. PMID 23512431
20. de Abajo J, Sanhueza I, Giron L, et al. Experience with the active middle ear implant in patients with moderate-to-severe mixed hearing loss: indications and results. *Otol Neurotol.* Oct 2013; 34(8): 1373-9. PMID 24005166
21. Dillon MT, Tubbs RS, Adunka MC, et al. Round window stimulation for conductive and mixed hearing loss. *Otol Neurotol.* Oct 2014; 35(9): 1601-8. PMID 25111522
22. Beltrame AM, Martini A, Prosser S, et al. Coupling the Vibrant Soundbridge to cochlea round window: auditory results in patients with mixed hearing loss. *Otol Neurotol.* Feb 2009; 30(2): 194-201. PMID 19180678
23. Bernardeschi D, Hoffman C, Benchaat T, et al. Functional results of Vibrant Soundbridge middle ear implants in conductive and mixed hearing losses. *Audiol Neurootol.* 2011; 16(6): 381-7. PMID 21228566
24. Colletti L, Carner M, Mandala M, et al. The floating mass transducer for external auditory canal and middle ear malformations. *Otol Neurotol.* Jan 2011; 32(1): 108-15. PMID 21131892
25. Gunduz B, Atas A, Bayazit YA, et al. Functional outcomes of Vibrant Soundbridge applied on the middle ear windows in comparison with conventional hearing aids. *Acta Otolaryngol.* Dec 2012; 132(12): 1306-10. PMID 23039370
26. Mandala M, Colletti L, Colletti V. Treatment of the atretic ear with round window vibrant soundbridge implantation in infants and children: electrocochleography and audiologic outcomes. *Otol Neurotol.* Oct 2011; 32(8): 1250-5. PMID 21897320
27. Roman S, Denoyelle F, Farinetti A, et al. Middle ear implant in conductive and mixed congenital hearing loss in children. *Int J Pediatr Otorhinolaryngol.* Dec 2012; 76(12): 1775-8. PMID 22985678

28. Sziklai I, Szilvassy J. Functional gain and speech understanding obtained by Vibrant Soundbridge or by open-fit hearing aid. *Acta Otolaryngol.* Apr 2011; 131(4): 428-33. PMID 21401449
29. Zernotti ME, Arauz SL, Di Gregorio MF, et al. Vibrant Soundbridge in congenital osseous atresia: multicenter study of 12 patients with osseous atresia. *Acta Otolaryngol.* Jun 2013; 133(6): 569-73. PMID 23448351
30. Song CI, Cho HH, Choi BY, et al. Results of Active Middle Ear Implantation in Patients With Mixed Hearing Loss After Middle Ear Surgery: A Prospective Multicenter Study (the ROMEO Study). *Clin Exp Otorhinolaryngol.* Feb 2022; 15(1): 69-76. PMID33848418
30. Kraus EM, Shohet JA, Catalano PJ. Envoy Esteem Totally Implantable Hearing System: phase 2 trial, 1-year hearing results. *Otolaryngol Head Neck Surg.* Jul 2011; 145(1): 100-9. PMID 21493292
31. Pulcherio JO, Bittencourt AG, Burke PR, et al. Carina(R) and Esteem(R): a systematic review of fully implantable hearing devices. *PLoS One.* 2014; 9(10): e110636. PMID 25329463
32. Klein K, Nardelli A, Stafinski T. A systematic review of the safety and effectiveness of fully implantable middle ear hearing devices: the carina and esteem systems. *Otol Neurotol.* Aug 2012; 33(6): 916-21. PMID 22772013
33. Barbara M, Biagini M, Monini S. The totally implantable middle ear device 'Esteem' for rehabilitation of severe sensorineural hearing loss. *Acta Otolaryngol.* Apr 2011; 131(4): 399-404. PMID 21198340
34. Barbara M, Manni V, Monini S. Totally implantable middle ear device for rehabilitation of sensorineural hearing loss: preliminary experience with the Esteem, Envoy. *Acta Otolaryngol.* Apr 2009; 129(4): 429-32. PMID 19117172
35. Chen DA, Backous DD, Arriaga MA, et al. Phase 1 clinical trial results of the Envoy System: a totally implantable middle ear device for sensorineural hearing loss. *Otolaryngol Head Neck Surg.* Dec 2004; 131(6): 904-16. PMID 15577788
36. Gerard JM, Thill MP, Chantrain G, et al. Esteem 2 middle ear implant: our experience. *Audiol Neurootol.* 2012; 17(4): 267-74. PMID 22627489
37. Kam AC, Sung JK, Yu JK, et al. Clinical evaluation of a fully implantable hearing device in six patients with mixed and sensorineural hearing loss: our experience. *Clin Otolaryngol.* Jun 2012; 37(3): 240-4. PMID 22708943
38. Monini S, Biagini M, Atturo F, et al. Esteem(R) middle ear device versus conventional hearing aids for rehabilitation of bilateral sensorineural hearing loss. *Eur Arch Otorhinolaryngol.* Jul 2013; 270(7): 2027-33. PMID 23143506
39. Tsang WS, Yu JK, Wong TK, et al. Vibrant Soundbridge system: application of the stapes coupling technique. *J Laryngol Otol.* Jan 2013; 127(1): 58-62. PMID 23218176
40. Savas VA, Gunduz B, Karamert R, et al. Comparison of Carina active middle-ear implant with conventional hearing aids for mixed hearing loss. *J Laryngol Otol.* Apr 2016; 130(4): 340-3. PMID 26991874
41. Barbara M, Volpini L, Monini S. Delayed facial nerve palsy after surgery for the Esteem((R)) fully implantable middle ear hearing device. *Acta Otolaryngol.* Apr 2014; 134(4): 429-32. PMID 24433055
42. Zwartenkot JW, Mulder JJ, Snik AF, et al. Active Middle Ear Implantation: Long-term Medical and Technical Follow-up, Implant Survival, and Complications. *Otol Neurotol.* Jun 2016; 37(5): 513-9. PMID 27023016
43. American Academy of Otolaryngology - Head and Neck Surgery. Position Statement: Active Middle Ear Implants. 2016; <https://www.entnet.org/content/implantable-hearing-devices>. Accessed December 16 January 31, 2022.
44. Centers for Medicare & Medicaid Services. Medicare Policy Benefit Manual. Chapter 16 - General Exclusions from Coverage. 2014; <https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/downloads/bp102c16.pdf>. Accessed December 16, 2022.

**CLICK THE ENVELOPE ICON BELOW TO SUBMIT COMMENTS**

This medical policy is made available to you for informational purposes only. It is not a guarantee of payment or a substitute for your medical judgment in the treatment of your patients. Benefits and eligibility are determined by the member's subscriber agreement or member certificate and/or the employer agreement, and those documents will supersede the provisions of this medical policy. For information on member-specific benefits, call the provider call center. If you provide services to a member which are determined to not be medically necessary (or in some cases medically necessary services which are non-covered benefits), you may not charge the member for the services unless you have informed the member and they have agreed in writing in advance to continue with the treatment at their own expense. Please refer to your participation agreement(s) for the applicable provisions. This policy is current at the time of publication; however, medical practices, technology, and knowledge are constantly changing. BCBSRI reserves the right to review and revise this policy for any reason and at any time, with or without notice. Blue Cross & Blue Shield of Rhode Island is an independent licensee of the Blue Cross and Blue Shield Association.

