

Medical Coverage Policy | Ovarian and Internal Iliac Vein Embolization as a Treatment of Pelvic Congestion Syndrome



EFFECTIVE DATE: 12/1/2014

POLICY LAST UPDATED: 1/26/2015

OVERVIEW

Pelvic congestion syndrome is characterized by chronic pelvic pain that often is aggravated by standing; diagnostic criteria for this condition are not well-defined. Embolization of the ovarian and internal iliac veins has been proposed as a treatment for patients who fail medical therapy with analgesics.

PRIOR AUTHORIZATION

No Preauthorization is needed

POLICY STATEMENT

BlueCHiP for Medicare and Commercial:

Embolization of the ovarian vein and internal iliac veins is considered not medically necessary as a treatment of pelvic congestion syndrome because the available literature regarding embolization therapy for the treatment of pelvic congestion syndrome consists of case series and is inadequate to draw clinical conclusions.

MEDICAL CRITERIA

None

BACKGROUND

Pelvic congestion syndrome is a condition of chronic pelvic pain of variable location and intensity, which is associated with dyspareunia and postcoital pain and aggravated by standing. The syndrome occurs during the reproductive years, and pain is often greater before or during menses. The underlying etiology is thought to be related to varices of the ovarian veins,

leading to pelvic congestion. As there are many etiologies of chronic pelvic pain, the pelvic congestion syndrome is often a diagnosis of exclusion, with the identification of varices using a variety of imaging methods, such as magnetic resonance imaging, computed tomography scanning, or contrast venography. For those who fail medical therapy with analgesics, surgical ligation of the ovarian vein has been considered. More recently, embolization therapy of the ovarian and internal iliac veins has been proposed. Vein embolization can be performed using a variety of materials including coils, glue, and gel foam.

Randomized controlled studies using well-defined diagnostic criteria are required to establish the safety and efficacy of this procedure. The available literature regarding embolization therapy for the treatment of pelvic congestion syndrome consists of case series and is inadequate to draw clinical conclusions; thus the treatment is considered not medically necessary.

COVERAGE

Benefits may vary between groups/contracts. Please refer to the appropriate Evidence of Coverage or Subscriber Agreement for limitations of benefits/coverage when services are not medically necessary

CODING

BlueCHiP for Medicare and Commercial:

The following CPT code is not medically necessary when filed with the diagnosis codes listed below:

37241 Vascular embolization or occlusion, inclusive of all radiological supervision and interpretation, intraprocedural roadmapping, and imaging guidance necessary complete the intervention; venous, other than hemorrhage (eg, congenital or acquired venous malformations, venous and capillary hemangiomas, varices, varicoceles)

ICD9 code 625.5

ICD 10 code N94.89:

RELATED POLICIES

None

PUBLISHED

Provider Update, Apr 2015

Provider Update, Jan 2015

REFERENCES

1. Kies DD, Kim HS. Pelvic congestion syndrome: a review of current diagnostic and minimally invasive treatment modalities. *Phlebology* 2012; 27(Suppl 1):52-7.
2. Monedero JL, Ezpeleta SZ, Perrin M. Pelvic congestion syndrome can be treated operatively with good long-term results. *Phlebology* 2012; 27 Suppl 1:65-73.
3. Naoum JJ. Endovascular therapy for pelvic congestion syndrome. *Methodist DeBakey Cardiovasc J* 2009; 5(4):36-8.
4. Gandini R, Chiocchi M, Konda D et al. Transcatheter foam sclerotherapy of symptomatic female varicocele with sodium-tetradecyl-sulfate foam. *Cardiovasc Intervent Radiol* 2008; 31(4-Jan):778-84.
5. Hocquelet A, Le Bras Y, Balian E et al. Evaluation of the efficacy of endovascular treatment of pelvic congestion syndrome. *Diagn Interv Imaging* 2014; 95(3):301-6.
6. Kim HS, Malhotra AD, Rowe PC et al. Embolotherapy for pelvic congestion syndrome: long-term results. *J Vasc Interv Radiol* 2006; 17(2 pt 1):289-97.
7. Kwon SH, Oh JH, Ko KR et al. Transcatheter ovarian vein embolization using coils for the treatment of pelvic congestion syndrome. *Cardiovasc Intervent Radiol* 2007; 30(4):655-61.
8. Nasser F, Cavalcante RN, Affonso BB et al. Safety, efficacy, and prognostic factors in endovascular treatment of pelvic congestion syndrome. *Int J Gynaecol Obstet* 2014; 125(1):65-8.
9. Laborda A, Medrano J, de Blas I et al. Endovascular Treatment of Pelvic Congestion Syndrome: Visual Analog Scale (VAS) Long-Term Follow-up Clinical Evaluation in 202 Patients. *Cardiovasc Intervent Radiol* 2013.
10. Tu FF, Hahn D, Steege JF. Pelvic congestion syndrome-associated pelvic pain: a systematic review of diagnosis and management. *Obstet Gynecol Surv* 2010; 65(5):332-40.

11. Ball E, Khan KS, Meads C. Does pelvic venous congestion syndrome exist and can it be treated? Acta Obstet Gynecol Scand 2012; 91(5):525-8.



[CLICK THE ENVELOPE ICON BELOW TO SUBMIT COMMENTS](#)

This medical policy is made available to you for informational purposes only. It is not a guarantee of payment or a substitute for your medical judgment in the treatment of your patients. Benefits and eligibility are determined by the member's subscriber agreement or member certificate and/or the employer agreement, and those documents will supersede the provisions of this medical policy. For information on member-specific benefits, call the provider call center. If you provide services to a member which are determined to not be medically necessary (or in some cases medically necessary services which are non-covered benefits), you may not charge the member for the services unless you have informed the member and they have agreed in writing in advance to continue with the treatment at their own expense. Please refer to your participation agreement(s) for the applicable provisions. This policy is current at the time of publication; however, medical practices, technology, and knowledge are constantly changing. BCBSRI reserves the right to review and revise this policy for any reason and at any time, with or without notice. Blue Cross & Blue Shield of Rhode Island is an independent licensee of the Blue Cross and Blue Shield Association.

