

Medical Coverage Policy | Transcutaneous Electrical Nerve stimulation (TENS)



EFFECTIVE DATE: 10|01|2015

POLICY LAST UPDATED: 07|07|2015

OVERVIEW

Transcutaneous electrical nerve stimulation (TENS) describes the application of electrical stimulation to the surface of the skin at the site of pain. TENS may be applied in a variety of settings (in the patient's home, a physician's office, or in an outpatient clinic).

MEDICAL CRITERIA

Not applicable

PRIOR AUTHORIZATION

Prior authorization review is not required.

POLICY STATEMENT

BlueCHiP for Medicare

The use of TENS is considered medically necessary for treatment of chronic, intractable, or acute post-operative pain.

Commercial Products

The use of TENS is considered medically necessary for treatment of refractory chronic pain (eg, chronic musculoskeletal or neuropathic pain) that causes significant disruption of function

TENS is considered not medically necessary for the management of acute pain (e.g., postoperative or during labor and delivery).

The use of TENS for any other condition, including but not limited to the treatment of dementia and prevention of migraine headaches, is considered not medically necessary as there is no peer reviewed scientific evidence that supports its use.

COVERAGE

Benefits may vary between groups and contracts. Please refer to the appropriate Evidence of Coverage or Subscriber Agreement for applicable durable medical equipment benefits/coverage.

BACKGROUND

Transcutaneous electrical nerve stimulation (TENS) describes the application of electrical stimulation to the surface of the skin at the site of pain. TENS may be applied in a variety of settings (in the patient's home, a physician's office, or in an outpatient clinic).

The available studies are inconsistent on whether TENS improves outcomes, and the overall strength of the evidence is weak for all indications. On the other hand, the best evidence exists for treatment of chronic, intractable pain, and there is strong clinical support for this indication. Available evidence indicates that TENS can improve chronic intractable pain in some patients, and there is also support for its use in clinical guidelines by specialty societies. To best direct TENS toward patients who will benefit, a short-term trial of TENS is appropriate, with continuation only in patients who show an initial improvement. Therefore, TENS

may be considered medically necessary for the treatment of chronic pain if shown to be effective during a 30-day therapeutic trial.

For indications other than chronic, intractable pain, the evidence does not permit conclusions on the efficacy of TENS. This includes acute pain, treatment of post-stroke patients, and prevention of migraine headaches. For the treatment of pain after total knee arthroplasty, 1 large randomized controlled trial (RCT) found no benefit of TENS compared with sham TENS. For the prevention of migraine headaches, 1 small RCT reported a greater proportion of patients achieving at least 50% reduction in migraines with TENS compared with sham placebo, and modest reductions in the number of total headache and migraine days. This manufacturer-sponsored trial needs corroboration before conclusions can be made about the efficacy of TENS for preventing migraine headaches. Therefore, TENS is considered not medically necessary for all other indications besides chronic, intractable pain.

CODING

The following code are covered when filed with a covered diagnosis from the list below:

E0720 Transcutaneous electrical nerve stimulation (TENS) device, two lead, localized stimulation

E0730 Transcutaneous electrical nerve stimulation (TENS) device, four or more leads, for multiple nerve stimulation

E0731 Form-fitting conductive garment for delivery of TENS or NMES (with conductive fibers separated from the patient's skin by layers of fabric)

Covered ICD-10 diagnosis codes:

G89.21-G89.8

G90.50-G90.59

M25.50- M25.579

M54.10- M54.18

M54.2

M54.30-M54.32

M54.40-M54.42

M54.5

M54.6

M54.81, M54.89

M54.9

M79.1

M79.2

R52

RELATED POLICIES

None

PUBLISHED

Provider Update August 2015

REFERENCES

1. Food and Drug Administration. De Novo Classification Request for Cefaly Device. 2012; http://www.accessdata.fda.gov/cdrh_docs/reviews/K122566.pdf. Accessed February 10, 2015.

2. Blue Cross and Blue Shield Association Technology Evaluation Center (TEC). TENS or PENS in the treatment of chronic and postoperative pain. TEC Assessments. 1996;Volume 11, Tab 21.

3. Bronfort G, Nilsson N, Haas M, et al. Non-invasive physical treatments for chronic/recurrent headache. Cochrane Database Syst Rev. 2004(3):CD001878. PMID 15266458

4. Brosseau L, Judd MG, Marchand S, et al. Transcutaneous electrical nerve stimulation (TENS) for the treatment of rheumatoid arthritis in the hand. *Cochrane Database Syst Rev.* 2003(3):CD004377. PMID 12918009
5. Brosseau LU, Pelland LU, Casimiro LY, et al. Electrical stimulation for the treatment of rheumatoid arthritis. *Cochrane Database Syst Rev.* 2002(2):CD003687. PMID 12076504
6. Cameron M, Lonergan E, Lee H. Transcutaneous electrical nerve stimulation (TENS) for dementia. *Cochrane Database Syst Rev.* 2003(3):CD004032. PMID 12917999
7. Carroll D, Moore RA, McQuay HJ, et al. Transcutaneous electrical nerve stimulation (TENS) for chronic pain. *Cochrane Database Syst Rev.* 2001(3):CD003222. PMID 11687055
8. Dowswell T, Bedwell C, Lavender T, et al. Transcutaneous electrical nerve stimulation (TENS) for pain relief in labour. *Cochrane Database Syst Rev.* 2009(2):CD007214. PMID 19370680
9. Hurlow A, Bennett MI, Robb KA, et al. Transcutaneous electric nerve stimulation (TENS) for cancer pain in adults. *Cochrane Database Syst Rev.* 2012;3:CD006276. PMID 22419313
10. Khadilkar A, Milne S, Brosseau L, et al. Transcutaneous electrical nerve stimulation (TENS) for chronic low-back pain. *Cochrane Database Syst Rev.* 2005(3):CD003008. PMID 16034883
11. Khadilkar A, Odebiyi DO, Brosseau L, et al. Transcutaneous electrical nerve stimulation (TENS) versus placebo for chronic low-back pain. *Cochrane Database Syst Rev.* 2008(4):CD003008. PMID 18843638
12. Kroeling P, Gross A, Goldsmith CH, et al. Electrotherapy for neck pain. *Cochrane Database Syst Rev.* 2009(4):CD004251. PMID 19821322

[CLICK THE ENVELOPE ICON BELOW TO SUBMIT COMMENTS](#)

This medical policy is made available to you for informational purposes only. It is not a guarantee of payment or a substitute for your medical judgment in the treatment of your patients. Benefits and eligibility are determined by the member's subscriber agreement or member certificate and/or the employer agreement, and those documents will supersede the provisions of this medical policy. For information on member-specific benefits, call the provider call center. If you provide services to a member which are determined to not be medically necessary (or in some cases medically necessary services which are non-covered benefits), you may not charge the member for the services unless you have informed the member and they have agreed in writing in advance to continue with the treatment at their own expense. Please refer to your participation agreement(s) for the applicable provisions. This policy is current at the time of publication; however, medical practices, technology, and knowledge are constantly changing. BCBSRI reserves the right to review and revise this policy for any reason and at any time, with or without notice. Blue Cross & Blue Shield of Rhode Island is an independent licensee of the Blue Cross and Blue Shield Association.

